Applicant(s)

09/842,935 KOZHUKH, MICHAEL Notice of Allowability **Art Unit Examiner**

Application No.

Audrey Y. Chang 2872 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to appeal brief on January 21, 2005. 2. The allowed claim(s) is/are 1-3, 8-11, 13, 16-17 and 23-24, renumbered as 1-12. 3. The drawings filed on 4/26/2001 are accepted by the Examiner. 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) 🗌 All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) I including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 5. Notice of Informal Patent Application (PTO-152) 1. Notice of References Cited (PTO-892) 6. ☐ Interview Summary (PTO-413). 2. Notice of Draftperson's Patent Drawing Review (PTO-948) Paper No./Mail Date 7. X Examiner's Amendment/Comment 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08). Paper No./Mail Date 8. X Examiner's Statement of Reasons for Allowance 4.

Examiner's Comment Regarding Requirement for Deposit 9. Other ____. of Biological Material

EXAMINER'S AMENDMENT

Remark

- This Office Action is in response to the appeal brief filed on January 21, 2005, which has been entered into the file.
- Claims 1-3, 8-11, 13, 16-17 and 23-24 remain pending in this application.

Examiner's Amendment

An examiner's amendment to the record appears below. Should the changes and/or additions be 1. unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ms. Rhonda L. Sheldon, (Reg. No. 50,457) on March 22, 2005.

The application has been amended as follows:

In the claims,

Claim 8. (Currently Amended) A method comprising:

forming a reflective layer; and

forming an absorbing layer, including an oxide layer and an nitride layers, each of a thickness of about 700 Angstroms to about 750 Angstroms, over said reflective layer at a temperature of less than 250° C so that said layers selectively absorb blue light.

The following is an examiner's statement of reasons for allowance: in view of the arguments 2. presented in the appeal brief and of the prior art references considered, none has disclosed a reflector having a reflective layer and an absorbing layer to selectively absorb blue light wherein the absorbing layer includes about 700 to about 750 Angstroms of silicon dioxide and about 700 to about 750 Angstroms of silicon nitride, as recited in claims 1 and 16. Prior art references of the record also fails to

Art Unit: 2872

disclose a method forming an absorbing layer over a reflective layer at a temperature less than 250 degree Celsius wherein the absorbing layer including an oxide layer and a nitride layer each of a thickness of about 700 to about 750 Angstroms, wherein the absorbing layer selectively absorbs blue light.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Audrey Y. Chang whose telephone number is 571-272-2309. The examiner can normally be reached on Monday-Friday (8:00-4:30), alternative Mondays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Drew Dunn can be reached on 571-272-2312. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Audrey Y. Chang Primary Examiner Art Unit 2872

A. Chang, Ph.D.